Pharmex

Site manufacturing products

MEDICINES


Central Nervous System, Analgesics, Antiviral



CalmVIT"/ CALMANTE VITAMINADO

AAS, Caffeine, Vitamin B1

CalmVit is indicated for the symptomatic relief of occasional mild to moderate pain, such as headaches, dental pain, menstrual pain, muscle pain (contractures) or back (low back pain). It is also indicated for febrile states.





CalmaGRIP[™] FORTE

Paracetamol, Caffeine, Chlorphenamine Maleate


Symptomatic relief of catarrhal and flu-like processes with fever, mild to moderate pain (such as headache), tearing and sneezing.

For adults and adolescents over 14 years of age.



Antipyretic and analgesic action.

Caffeine mitigates the symptoms of fatigue and increases physic motivation and mental capacity.







Oxymetazoline

Cuvenax is indicated for the local symptomatic relief of nasal congestion caused by conditions such as colds and rhinitis.

For adults and children above 6 years of age.



OXYMETAZOLINE Nasal Decongestant

Administered into the nose, it causes a:



Proved nasal ventilation



Parlatos

Dextromethorphan hydrobromide

Parlatos is indicated for the symptomatic treatment of cough not accompanied by expectoration (irritative cough, nervous cough) in adults and children from 2 years of age.



DEXTROMETHORPHAN HYDROBROMIDE

An antitussive that inhibits the cough reflex.







Pharmaceutical form: 200 ml solution

VASELINE PURE OINTMENT CUVE

Vaseline Pure Ointment



On the skin

Relief of symptoms of dryness, mild irritation and skin excoriations.

In use by qualified health professionals in examinations as a lubricant in rectal examinations or application of dressings.

With emollient properties Protects and cares. Reduces dryness. Reduces the feeling of tightness. Offers a soothing effect. Eradicates dryness and irritation. 973370.4- EFP VASELINA PURA CUVE POMADA VÍA TÓPICA 30 g

Moisturises and softens the skin.

CUVEFILM

Chlorhexidine Digluconate Cutaneous Solution

Indicated as an antiseptic for wounds and minor skin burns as an antiseptic for the belly button of newborns.



Wounds and superficial cuts



Minor skin burns



Minor punction



Piercing and other skin perforations



Bellybowl of the newborn.



Glycerin Suppositories CUVE

Local symptoamic relief of transient and occasional consitpation (glycerol)

Its main active component is glycerol, which acts as a laxative.

Glycerol exerts its action locally at the colon level after the suppository application, therefore, it does not need to be absorbed to exert its action. The normal dose: 1 suppository per day, as needed, or as prescribed by a doctor.

Transparent suppositories, colorless or slightly opaque, uniform texture, ovoid in shape.

- Packaged in a glass jar.
-) It takes effect within 15-30 minutes of administration.
- Administered rectally.



Hydrogen Peroxide CUVE

Hydrogen Peroxide Topical Solution and Concentrate for Oral Solution

It is an antiseptic indicated for:

Superficial skin wounds in adults, adolescents, and children aged 2 years and older.


Mouthwash after dental extractions

in adults and adolescents.

Clean and odorless solution.

Each 100ml of solution contains 3g of hydrogen peroxide.





In the case of superficial skin wounds: Apply to the wound directly or with a cotton gauze.

In the case of rinses after dental extractions: Dilute with the same amount of water and rinse in the mouth for 1 minute.

Lassar's Paste Imba


Zinc Oxide

Contains zinc oxide and almond oil for daily care and protection of the diaper area.



Promotes skin hydration, thanks to its lanolin and sweet almond oil composition. It does not irritate the skin, protects it without drying or





Pharmaceutical form: Ointment

Paradolmex

Paracetamol 1 g Oral Solution 10 Sachets

Paradolmex 1 g powder for oral solution is used to treat mild to moderate pain, musculoskeletal pain, osteoarthritis (degenerative joint condition), rheumatoid arthritis (joint inflammation causing pain and swelling), headache, dental pain, or dysmenorrhea. Feverish states.

Oral use.





Fast and effective relief of mild to moderate:

Fever



Dental pain

Pain in the head



• Lower back pain

Family:

Analgesics & Antipyretics

Pharmaceutical form: 10 sachets







Headquarter

Pharmex Group C/ Anabel Segura, 16. 28108 Alcobendas - Madrid (Spain) +34 910 646 257 business@pharmex.es

Pharmex Advanced Laboratories

Ctra. A-431, Km 19. 14720 Almodóvar del Río Cordóba (Spain) +34 957 27 11 00 business.advanced@pharmex.es